

Refine Search

Search Results -

Terms	Documents
(browser or application) near event near notif\$6 with (transparen\$2 or abstract\$3)	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L203

Search History

DATE: Friday, November 24, 2006 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L203</u>	(browser or application) near event near notif\$6 with (transparen\$2 or abstract\$3)	0	<u>L203</u>
<u>L202</u>	host adj application with event near notif\$6	2	<u>L202</u>
<u>L201</u>	L188 and L200	13	<u>L201</u>
<u>L200</u>	notif\$6 near (application or host or browser)	7840	<u>L200</u>
<u>L199</u>	low near memory near (os or operating adj system)	16	<u>L199</u>
<u>L198</u>	low near momory near (os or operating adj system)	0	<u>L198</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L197</u>	US-6704764-B1.did.	1	<u>L197</u>
<u>L196</u>	US-6704764-B1.did.	1	<u>L196</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L195</u>	((jvm or run\$1time) near reus\$3)	17	<u>L195</u>
<u>L194</u>	((jvm or run\$1time) with ((reus\$3 or pool\$3) near (thread or task)))	39	<u>L194</u>

<u>L193</u>	((jvm or run\$1time) near ((creat\$3 or fork\$3) near thread or task))	186	<u>L193</u>
<u>L192</u>	L188 and L191	8	<u>L192</u>
<u>L191</u>	((jvm or run\$1time) near notif\$6)	62	<u>L191</u>
<u>L190</u>	L139 and L186	29	<u>L190</u>
<u>L189</u>	L187 and L188	1	<u>L189</u>
<u>L188</u>	((jvm or run\$1time) near (event))	262	<u>L188</u>
<u>L187</u>	L185 and L186	159	<u>L187</u>
<u>L186</u>	((jvm or run\$1time) near (abstract\$3 or transparen\$2))	159	<u>L186</u>
<u>L185</u>	((jvm or run\$1time) near\$2 ((entry or exit) near notif\$6))	2539415	<u>L185</u>
<u>L184</u>	((jvm or run\$1time) with ((entry or exit) near notif\$6))	0	<u>L184</u>
<u>L183</u>	(notif\$7 near (browser or client or host near application) with thread)	64	<u>L183</u>
<u>L182</u>	(thread or task) near state with (notif\$7 near (browser or client or host near application))	0	<u>L182</u>
<u>L181</u>	(thread or task) near transition and (notif\$7 near (browser or client or host near application))	11	<u>L181</u>
<u>L180</u>	(thread or task) near transition with notif\$7	14	<u>L180</u>
<u>L179</u>	(thread or task) with ((enter\$3 or leav\$3) near (run\$1time or jvm or java near machine))	4	<u>L179</u>
<u>L178</u>	(run\$1time near environment or jvm or java near machine or abstract\$3 near (interface or layer)) with (i\$1o near port)	21	<u>L178</u>
<u>L177</u>	(run\$1time near environment or jvm or java near machine or abstract\$3 near (interface or layer)) with completion	61	<u>L177</u>
<u>L176</u>	(run\$1time near environment or jvm or java near machine or abstract\$3 near (interface or layer)) with completion near port	0	<u>L176</u>
<u>L175</u>	bind\$3 near handle with completion	4	<u>L175</u>
<u>L174</u>	bind\$3 near handle	553	<u>L174</u>
<u>L173</u>	L139 and L172	7	<u>L173</u>
<u>L172</u>	(run\$1time near environment or jvm or java near machine or abstract\$3 near (interface or layer)) with bind\$3	106	<u>L172</u>
<u>L171</u>	(run\$1time near environment or jvm or java near machine or abstract\$3 near (interface or layer)) with bind\$3 near port	2	<u>L171</u>
<u>L170</u>	L168 and L169	16	<u>L170</u>
<u>L169</u>	(run\$1time near environment or jvm or java near machine or abstract\$3 near (interface or layer))	13549	<u>L169</u>
<u>L168</u>	adjust\$4 near priority	1130	<u>L168</u>
<u>L167</u>	adjust\$4 near priority with (run\$1time or jvm or java near machine or abstract\$3)	3	<u>L167</u>
<u>L166</u>	callback with (run\$1time or jvm or java near machine or abstract\$3)	161	<u>L166</u>
<u>L165</u>	callback with (thread or task) near state	3	<u>L165</u>
<u>L164</u>	callback with runnable near state	2	<u>L164</u>
<u>L163</u>	L139 and L162	56	<u>L163</u>
<u>L162</u>	L157 and L161	759	<u>L162</u>
<u>L161</u>	(host or client or browser) near (interface or api)	31145	<u>L161</u>

<u>L160</u>	L159 and (run\$1time or jvm or java near machine)	43	<u>L160</u>
<u>L159</u>	((performance or optimiz\$4) near (reus\$3 or pool\$3))	377	<u>L159</u>
<u>L158</u>	L136 and L157	19	<u>L158</u>
<u>L157</u>	abstract\$3 near layer	4209	<u>L157</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L156</u>	'5574915'.pn.	1	<u>L156</u>
<u>L155</u>	'5613120'.pn.	1	<u>L155</u>
<u>L154</u>	'5822787'.pn.	1	<u>L154</u>
<u>L153</u>	'5835743'.pn.	1	<u>L153</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L152</u>	(run\$1time or jvm or java near machine) with (\$4runnable)	31	<u>L152</u>
<u>L151</u>	set\$4 near size with thread near pool	5	<u>L151</u>
<u>L150</u>	L139 and L149	8	<u>L150</u>
<u>L149</u>	set\$4 near size with (browser or client or ((java or host) near application) with thread near pool)	125	<u>L149</u>
<u>L148</u>	(reus\$3 or pool\$3) near (run\$1time or jvm or java near machine)	46	<u>L148</u>
<u>L147</u>	((run\$1time) with ((ceat\$3 or spawn\$ or fork\$3) near (task or thread)))	31	<u>L147</u>
<u>L146</u>	L145	2	<u>L146</u>
<u>L145</u>	((jvm or java near machine) with ((ceat\$3 or spawn\$ or fork\$3) near (task or thread)))	2	<u>L145</u>
<u>L144</u>	((thread or task) with ((enter\$3 or leav\$3) near unmanaged))	0	<u>L144</u>
<u>L143</u>	((thread or task) with (reserve near (enter\$3 or leav\$3)))	4	<u>L143</u>
<u>L142</u>	((((thread or task) near (enter\$3 or leav\$3) or enter\$3 or leav\$3))	3217189	<u>L142</u>
<u>L141</u>	((reverse near (enter\$3 or leav\$3) or enter\$3 or leav\$3) near unmanaged)	3	<u>L141</u>
<u>L140</u>	L136 and L139	89	<u>L140</u>
<u>L139</u>	L93 or L138	10713	<u>L139</u>
<u>L138</u>	(711/170 711/171 711/172 711/173).ccls.	3622	<u>L138</u>
<u>L137</u>	L93 and L136	82	<u>L137</u>
<u>L136</u>	((client or browser or host near application) with (jvm or java near machine))	857	<u>L136</u>
<u>L135</u>	(jvm or java near machine or run\$1time) with ((mov\$3 or chang\$3) near (task or thread))	23	<u>L135</u>
<u>L134</u>	L126 and L133	6	<u>L134</u>
<u>L133</u>	\$3manag\$6 adj code	2367	<u>L133</u>
<u>L132</u>	3manag\$6 adj code	0	<u>L132</u>
<u>L131</u>	L123 and L130	9	<u>L131</u>
<u>L130</u>	\$3manag\$6 near code	5155	<u>L130</u>
<u>L129</u>	notif\$6 near run\$1time	47	<u>L129</u>
<u>L128</u>	run\$1time with ((memory near allocat\$3) near fail\$3)	3	<u>L128</u>
<u>L127</u>	host near application and L123	2	<u>L127</u>
<u>L126</u>	((abstract\$3 or transparen\$2) near (api or interface) with run\$1time)	38	<u>L126</u>
<u>L125</u>	L123 and L124	1	<u>L125</u>

<u>L124</u>	customiz\$4 near run\$1time	117	<u>L124</u>
<u>L123</u>	((abstract\$3 or transparen\$2) near run\$1time)	110	<u>L123</u>
	<i>DB=TDBD,DWPI,JPAB,EPAB,USOC,USPT,PGPB; PLUR=YES; OP=OR</i>		
<u>L122</u>	SEZGIN-BEYSIM!	21	<u>L122</u>
<u>L121</u>	BENDIXEN-MASON-K!	9	<u>L121</u>
<u>L120</u>	BRUMME-CHRISTOPHER-W!	34	<u>L120</u>
<u>L119</u>	CARLIN-PETER-A!	10	<u>L119</u>
<u>L118</u>	CARMICHAEL-IAN-H!	9	<u>L118</u>
<u>L117</u>	PRATSCHNER-STEVEN-J!	8	<u>L117</u>
<u>L116</u>	LIU-WEIWEN!	7	<u>L116</u>
<u>L115</u>	LIU-WEIWEN!	7	<u>L115</u>
<u>L114</u>	LIU-WEIWEN!	7	<u>L114</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L113</u>	L109 and L112	7	<u>L113</u>
<u>L112</u>	callback with (run\$1time or jvm or java near machine)	126	<u>L112</u>
<u>L111</u>	callback near (run\$1time or jvm or java near machine)	13	<u>L111</u>
<u>L110</u>	L69 and L109	1	<u>L110</u>
<u>L109</u>	L93 and L108	142	<u>L109</u>
<u>L108</u>	(abstract\$3 or run\$1time or jvm or java near machine) with allocat\$3 near memory	663	<u>L108</u>
<u>L107</u>	(abstract\$3 or run\$1time or jvm or java near machine) with low near memory	24	<u>L107</u>
<u>L106</u>	abstract\$3 near low near memory	2	<u>L106</u>
<u>L105</u>	6874149.pn.	2	<u>L105</u>
<u>L104</u>	6874419.pn.	2	<u>L104</u>
<u>L103</u>	6879419.pn.	2	<u>L103</u>
<u>L102</u>	re\$1plac\$6 near memory near (api or application near interface)	4	<u>L102</u>
<u>L101</u>	L83 and L93	10	<u>L101</u>
<u>L100</u>	L83 or L93	7583	<u>L100</u>
<u>L99</u>	((execut\$3 or run\$4) with unmanaged near code)	56	<u>L99</u>
<u>L98</u>	((execut\$3 or run\$4) near unmanaged near code)	10	<u>L98</u>
<u>L97</u>	(leav\$3 or enter\$3 or revers\$3) with unmanaged near code	2	<u>L97</u>
<u>L96</u>	run\$1time with unmanaged near code	21	<u>L96</u>
<u>L95</u>	run\$1time near unmanaged near code	3	<u>L95</u>
<u>L94</u>	(jvm or java near machine) near unmanaged near code	0	<u>L94</u>
<u>L93</u>	L87 or L88 or L89 or L90 or L91	7281	<u>L93</u>
<u>L92</u>	L87 or L88 or L89 or L90 L91	7281	<u>L92</u>
<u>L91</u>	(707/206).ccls.	678	<u>L91</u>
<u>L90</u>	(719/318 719/331 719/332).ccls.	1274	<u>L90</u>
<u>L89</u>	(717/120 717/121).ccls.	681	<u>L89</u>
<u>L88</u>	(718/1 718/100 718/104 718/106).ccls.	3689	<u>L88</u>
<u>L87</u>	(719/328).ccls.	1249	<u>L87</u>

<u>L86</u>	(jvm or java near machine) near integrat\$3	29	<u>L86</u>
<u>L85</u>	(jvm or java near machine) and L83	4	<u>L85</u>
<u>L84</u>	((api or application near interface) near (jvm or java near machine))	21	<u>L84</u>
<u>L83</u>	host near application near interface	312	<u>L83</u>
<u>L82</u>	L80 and L81	62	<u>L82</u>
<u>L81</u>	memory near allocat\$3 or garbage near collection or ((creat\$3 or fork\$3 or spawn\$3) near thread)	28690	<u>L81</u>
<u>L80</u>	((re\$1direct\$3 or detout\$3) near (call or invok\$3 or invocation or request) with (client or browser or host near application))	761	<u>L80</u>
<u>L79</u>	((customiz\$4 near execut\$3) with (client or browser or host near application))	27	<u>L79</u>
<u>L78</u>	((customiz\$4 near execut\$3) near (client or browser or host near application))	1	<u>L78</u>
<u>L77</u>	L75 and L76	88	<u>L77</u>
<u>L76</u>	memory near allocat\$3 and garbage near collection and ((creat\$3 or fork\$3 or spawn\$3) near thread)	110	<u>L76</u>
<u>L75</u>	L72 and L74	2537251	<u>L75</u>
<u>L74</u>	((api or application near interface) near\$2 (jvm or java near machine))	2600493	<u>L74</u>
<u>L73</u>	((api or application near interface) and (jvm or java near machine))	1967	<u>L73</u>
<u>L72</u>	((customiz\$4 near execut\$3) near\$2 (client or browser or host near application))	2726108	<u>L72</u>
<u>L71</u>	L69 and L70	30	<u>L71</u>
<u>L70</u>	(jvm or java near machine)	4112	<u>L70</u>
<u>L69</u>	((client or browser or host near application) with ((abstract\$3 or transparen\$2) near interface))	117	<u>L69</u>
<u>L68</u>	((api or application near interface) and (jvm or java near machine)).ab,ti.	25	<u>L68</u>
<u>L67</u>	((client or browser or host near application) and (api or application near interface) and (jvm or java near machine)).ab,ti.	4	<u>L67</u>
<u>L66</u>	((client or browser or host) with (integrat\$3 near (jvm or java near machine or common adj language)))	0	<u>L66</u>
<u>L65</u>	((client or browser) with (integrat\$3 near (jvm or java near machine or common adj language)))	0	<u>L65</u>
<u>L64</u>	((client or browser or application) near integrat\$3) with (jvm or java near machine or common adj language))	26	<u>L64</u>
<u>L63</u>	((client or browser or application) near (api or application near interface)) with (jvm or java near machine or common adj language))	35	<u>L63</u>
<u>L62</u>	L60 and L61	123	<u>L62</u>
<u>L61</u>	callback with asynchronous\$2	553	<u>L61</u>
<u>L60</u>	((abstract\$3 or transparent\$3)) with (host or browser or client))	11754	<u>L60</u>
<u>L59</u>	((environment near (abstract\$3 or transparent\$3)) with (host or browser or client))	31	<u>L59</u>
<u>L58</u>	environment near (abstract\$3 or transparent\$3)	561	<u>L58</u>
<u>L57</u>	((run\$1time or jvm or java near machine or abstract\$3 or transparent\$3) near (memory near manage\$6 or event near notf\$6))	94	<u>L57</u>

<u>L56</u>	((run\$1time or jvm or java near machine or abstract\$3 or transparent\$3) near (memory near manage\$6 or threading or event near notif\$6))	133	<u>L56</u>
<u>L55</u>	maximum near number near (thread or task) with request	31	<u>L55</u>
<u>L54</u>	maximum near (thread or task) with service near request	2	<u>L54</u>
<u>L53</u>	maximum near (thread or task) near service near request	0	<u>L53</u>
<u>L52</u>	((chang\$3 or adjust\$4) near priority)with (thread or task))	403	<u>L52</u>
<u>L51</u>	delay\$3 near (abort\$3 or kill\$3 or terminat\$3) near (thread or task)	3	<u>L51</u>
<u>L50</u>	L48 and L49	0	<u>L50</u>
<u>L49</u>	callback near asynchronous\$2	96	<u>L49</u>
<u>L48</u>	completion near port	217	<u>L48</u>
<u>L47</u>	(personaliz\$4 or customiz\$4) near run\$1time	121	<u>L47</u>
<u>L46</u>	(personaliz\$4 or customiz\$4) near runtime	47	<u>L46</u>
<u>L45</u>	((run\$1time or jvm) near callback)	13	<u>L45</u>
<u>L44</u>	((run\$1time or jvm) near notif\$6 with callback)	3	<u>L44</u>
<u>L43</u>	((run\$1time or jvm) near notif\$6 near callback)	2	<u>L43</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L42</u>	'5442788'.pn.	1	<u>L42</u>
<u>L41</u>	'6073184'.pn.	1	<u>L41</u>
<u>L40</u>	'6185611'.pn.	1	<u>L40</u>
<u>L39</u>	'6185611'.pn.	1	<u>L39</u>
<u>L38</u>	'6185611'.pn.	1	<u>L38</u>
<u>L37</u>	'6282568'.pn.	1	<u>L37</u>
<u>L36</u>	'6282568'.pn.	1	<u>L36</u>
<u>L35</u>	'6463446'.pn.	1	<u>L35</u>
<u>L34</u>	'6463446'.pn.	1	<u>L34</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L33</u>	L31 and L32	25	<u>L33</u>
<u>L32</u>	notif\$6 near event	3311	<u>L32</u>
<u>L31</u>	(jvm or run\$1time) near event	262	<u>L31</u>
<i>DB=JPAB; PLUR=YES; OP=OR</i>			
<u>L30</u>	JP-2004355638-A.did.	1	<u>L30</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L29</u>	memory near allocat\$3 near noti\$6	12	<u>L29</u>
<u>L28</u>	low near memory with notif\$6	14	<u>L28</u>
<u>L27</u>	low near memory near notif\$6	1	<u>L27</u>
<u>L26</u>	20040237064	2	<u>L26</u>
<u>L25</u>	(notif\$6 near (jvm or run\$1time))	62	<u>L25</u>
<u>L24</u>	L22 and L23	39	<u>L24</u>
<u>L23</u>	event near notif\$6 or (notif\$6 near (jvm or run\$1time))	3370	<u>L23</u>
<u>L22</u>	(jvm or run\$1time) and L21	647	<u>L22</u>
<u>L21</u>	abstract\$3 near interface	1565	<u>L21</u>
	(postpon\$3 or delay\$3) with (abort\$3 or terminat\$3 or kill\$3) near (thread		

<u>L20</u>	or task)	35	<u>L20</u>
<u>L19</u>	(postpon\$3 or delay\$3) near (abort\$3 or terminat\$3 or kill\$3) near (thread or task)	3	<u>L19</u>
<u>L18</u>	host adj application with (abort\$3 or terminat\$3 or kill\$3) near (task or thread)	3	<u>L18</u>
<u>L17</u>	call\$1back with host adj application	20	<u>L17</u>
<u>L16</u>	event near notif\$6 and L15	13	<u>L16</u>
<u>L15</u>	(jvm or run\$1time) with (memory adj allocat\$3 or garbage adj collection)	730	<u>L15</u>
<u>L14</u>	event near notif\$6 with (memory adj allocat\$3 or garbage adj collection)	0	<u>L14</u>
<u>L13</u>	host adj application with (memory adj allocat\$3 or garbage adj collection)	9	<u>L13</u>
<u>L12</u>	L9 and L11	51	<u>L12</u>
<u>L11</u>	host near (abstract\$3 or transparen\$2 or interface)	19988	<u>L11</u>
<u>L10</u>	event near notif\$6 and L9	22	<u>L10</u>
<u>L9</u>	(jvm or run\$1time) near interface	568	<u>L9</u>
<u>L8</u>	(jvm or run\$1time) and L7	21	<u>L8</u>
<u>L7</u>	event near notif\$6 and L6	71	<u>L7</u>
<u>L6</u>	host adj application	6265	<u>L6</u>
<u>L5</u>	event near notif\$6 and L4	1	<u>L5</u>
<u>L4</u>	(jvm or run\$1time) near (abstract\$3 or transparen\$3)	177	<u>L4</u>
<u>L3</u>	(jvm or run\$1time) and L1	29	<u>L3</u>
<u>L2</u>	jvm and L1	2	<u>L2</u>
<u>L1</u>	host near abstract\$3	126	<u>L1</u>

END OF SEARCH HISTORY